

## Message Text

CONFIDENTIAL

PAGE 01 STATE 039661

56

ORIGIN SY-05

INFO OCT-01 EA-07 ISO-00 /013 R

DRAFTED BY A/SY/T:JFPERDEW:CMG

APPROVED BY A/SY/T:DGFISCHER, CHIEF

DESIRED DISTRIBUTION

SY/FO/EA

----- 026104

R 190049Z FEB 76

FM SECSTATE WASHDC

TO AMEMBASSY TOKYO

INFO AMCONSUL HONG KONG

C O N F I D E N T I A L STATE 039661

TOKYO FOR RSO AND TSO HABENICHT, HONG KONG FOR RTC AND RSS

E.O. 11652GDS

TAGS: ASEC

REF: TOKYO 1894

1. SY/T IN CONCURRENCE WITH SUGGESTED UTILIZATION OF ROOMS L-176, 317 AND 318.

2. ROOM 318 SHOULD BE SUFFICIENT FOR AUTO SCAN INSTALLATION AND ELECTRONIC WORK BENCH AREA FOR REPAIR AND TESTING OF EQUIPMENT.

3. ROOM 317 WILL BE ADEQUATE FOR TSO/SEABEE OFFICE.

4. ONLY CRITICAL FUNCTION NOT ADDRESSED IN REFTTEL IS RECEIVING-SHIPING AREA. SINCE TSO AND SEABEE WILL BE HANDLING ALL POSTS IN JAPAN AND KOREA, THERE WILL BE SUBSTANTIAL FLOW OF SUPPLIES AND EQUIPMENT IN AND OUT OF TOKYO. IF L-176 CAN BE USED FOR THIS FUNCTION AS WELL AS STORAGE OF CLASSIFIED EQUIPMENT, THAT WILL BE SATISFACTORY.

CONFIDENTIAL

CONFIDENTIAL

PAGE 02 STATE 039661

5. FOUR HUNDRED AND FIFTY SQUARE FEET OF CAGED OR TSO CON-

TROLLED STORAGE SPACE IN ROOM B111 SHOULD BE ADEQUATE FOR  
TSO AND SEABEE REQUIREMENTS.

6. IF TSO CAN HAVE ACCESS TO OTHER PHOTO LAB IN BUILDING,  
THERE SHOULD BE NO NEED FOR SEPARATE TSO PHOTO LAB FA-  
CILITIES. INGERSOLL

CONFIDENTIAL

NNN

## Message Attributes

**Automatic Decaptioning:** X  
**Capture Date:** 01 JAN 1994  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** n/a  
**Control Number:** n/a  
**Copy:** SINGLE  
**Draft Date:** 19 FEB 1976  
**Decaption Date:** 01 JAN 1960  
**Decaption Note:**  
**Disposition Action:** RELEASED  
**Disposition Approved on Date:**  
**Disposition Authority:** KelleyW0  
**Disposition Case Number:** n/a  
**Disposition Comment:** 25 YEAR REVIEW  
**Disposition Date:** 28 MAY 2004  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1976STATE039661  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** JFPERDEW:CMG  
**Enclosure:** n/a  
**Executive Order:** GS  
**Errors:** N/A  
**Film Number:** D760062-1018  
**From:** STATE  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1976/newtext/t19760234/aaaabdfx.tel  
**Line Count:** 67  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Office:** ORIGIN SY  
**Original Classification:** CONFIDENTIAL  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 2  
**Previous Channel Indicators:** n/a  
**Previous Classification:** CONFIDENTIAL  
**Previous Handling Restrictions:** n/a  
**Reference:** 76 TOKYO 1894  
**Review Action:** RELEASED, APPROVED  
**Review Authority:** KelleyW0  
**Review Comment:** n/a  
**Review Content Flags:**  
**Review Date:** 25 MAY 2004  
**Review Event:**  
**Review Exemptions:** n/a  
**Review History:** RELEASED <25 MAY 2004 by buchant0>; APPROVED <20 SEP 2004 by KelleyW0>  
**Review Markings:**

Margaret P. Grafeld  
Declassified/Released  
US Department of State  
EO Systematic Review  
04 MAY 2006

**Review Media Identifier:**  
**Review Referrals:** n/a  
**Review Release Date:** n/a  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** UTILIZATION OF ROOMS  
**TAGS:** ASEC  
**To:** TOKYO  
**Type:** TE  
**Markings:** Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 04 MAY 2006